

Prepared for:

LEOTELE

1845 RANGE STREET, UNIT A
BOULDER, CO USA 80301

10mg CBD Capsule, LEO-C10-07

Batch ID or Lot Number: LEO-C10-07	Test: Potency	Reported: 04Apr2023	USDA License: N/A
Matrix: Unit	Test ID: T000240276	Started: 03Apr2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 31Mar2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.040	0.131	0.810	1.10	# of Servings = 1, Sample Weight=0.74g
Cannabichromenic Acid (CBCA)	0.037	0.120	ND	ND	
Cannabidiol (CBD)	0.116	0.340	10.910	14.70	
Cannabidiolic Acid (CBDA)	0.118	0.349	ND	ND	
Cannabidivarin (CBDV)	0.027	0.080	0.080	0.10	
Cannabidivarinic Acid (CBDVA)	0.049	0.146	ND	ND	
Cannabigerol (CBG)	0.023	0.075	0.340	0.50	
Cannabigerolic Acid (CBGA)	0.095	0.311	ND	ND	
Cannabinol (CBN)	0.030	0.097	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.065	0.213	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.113	0.371	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.103	0.337	0.460	0.60	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.091	0.299	ND	ND	
Tetrahydrocannabivarin (THCV)	0.021	0.068	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.080	0.263	ND	ND	
Total Cannabinoids			12.600	17.00	
Total Potential THC			0.460	0.60	
Total Potential CBD			10.910	14.70	

Final Approval



Sam Smith
04Apr2023
11:46:00 AM MDT

PREPARED BY / DATE



Karen Winternheimer
04Apr2023
11:49:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/06517930-068b-4f0f-8210-4a96f290682b>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
06517930068b4f0f82104a96f290682b.1