

Prepared for:

LEOTELE

1845 RANGE STREET, UNIT A
BOULDER, CO USA 80301

25mg CBD Capsule, LEO-C25-05

Batch ID or Lot Number: LEO-C25-05	Test: Potency	Reported: 31Mar2023	USDA License: N/A
Matrix: Unit	Test ID: T000240100	Started: 30Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 29Mar2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.046	0.142	1.960	2.80	# of Servings = 1, Sample Weight=0.7g
Cannabichromenic Acid (CBCA)	0.042	0.130	ND	ND	
Cannabidiol (CBD)	0.121	0.363	25.610	36.60	
Cannabidiolic Acid (CBDA)	0.124	0.373	ND	ND	
Cannabidivarin (CBDV)	0.029	0.086	0.110	0.20	
Cannabidivarinic Acid (CBDVA)	0.052	0.155	ND	ND	
Cannabigerol (CBG)	0.026	0.081	0.820	1.20	
Cannabigerolic Acid (CBGA)	0.109	0.338	ND	ND	
Cannabinol (CBN)	0.034	0.105	0.140	0.20	
Cannabinolic Acid (CBNA)	0.075	0.230	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.130	0.402	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.118	0.365	1.180	1.70	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.105	0.324	ND	ND	
Tetrahydrocannabivarin (THCV)	0.024	0.073	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.092	0.286	ND	ND	
Total Cannabinoids			29.820	42.70	
Total Potential THC			1.180	1.70	
Total Potential CBD			25.610	36.60	

Final Approval



Karen Winternheimer
31Mar2023
08:08:00 AM MDT

PREPARED BY / DATE



Sam Smith
31Mar2023
08:11:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/18e3fd39-1435-4f14-831b-91ebe2463d32>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
18e3fd3914354f14831b91ebe2463d32.1