

Prepared for:

LEOTELE

1845 RANGE STREET, UNIT A
BOULDER, CO USA 80301

25mg CBGA Capsule, LEO-CBGA-2501

Batch ID or Lot Number: LEO-CBGA-2501	Test: Potency	Reported: 04Apr2023	USDA License: N/A
Matrix: Unit	Test ID: T000240279	Started: 03Apr2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 31Mar2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.039	0.129	0.730	1.00	# of Servings = 1, Sample Weight=0.71g
Cannabichromenic Acid (CBCA)	0.036	0.118	0.600	0.80	
Cannabidiol (CBD)	0.114	0.335	ND	ND	
Cannabidiolic Acid (CBDA)	0.117	0.344	ND	ND	
Cannabidivarin (CBDV)	0.027	0.079	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.049	0.143	ND	ND	
Cannabigerol (CBG)	0.022	0.073	3.190	4.50	
Cannabigerolic Acid (CBGA)	0.093	0.307	26.770	37.70	
Cannabinol (CBN)	0.029	0.096	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.064	0.209	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.111	0.365	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.101	0.332	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.089	0.294	ND	ND	
Tetrahydrocannabivarin (THCV)	0.020	0.067	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.079	0.259	ND	ND	
Total Cannabinoids			31.290	44.00	
Total Potential THC			0.000	0.00	
Total Potential CBD			ND	ND	

Final Approval



Sam Smith
04Apr2023
11:46:00 AM MDT

PREPARED BY / DATE



Karen Winternheimer
04Apr2023
11:49:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/a8463b2f-c858-44fd-83f4-f4c821e64dad>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
a8463b2fc85844fd83f4f4c821e64dad.1