

Prepared for:

LEOTELE

1845 RANGE STREET, UNIT A
BOULDER, CO USA 80301

50mg CBD Capsule, LEO-C50-051

Batch ID or Lot Number: LEO-C50-051	Test: Potency	Reported: 31Mar2023	USDA License: N/A
Matrix: Unit	Test ID: T000240102	Started: 30Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 29Mar2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.048	0.150	4.700	6.20	# of Servings = 1, Sample Weight=0.76g
Cannabichromenic Acid (CBCA)	0.044	0.137	ND	ND	
Cannabidiol (CBD)	0.127	0.382	52.940	69.70	
Cannabidiolic Acid (CBDA)	0.130	0.392	ND	ND	
Cannabidivarin (CBDV)	0.030	0.090	0.160	0.20	
Cannabidivarinic Acid (CBDVA)	0.054	0.164	ND	ND	
Cannabigerol (CBG)	0.028	0.085	1.380	1.80	
Cannabigerolic Acid (CBGA)	0.115	0.356	ND	ND	
Cannabinol (CBN)	0.036	0.111	0.240	0.30	
Cannabinolic Acid (CBNA)	0.078	0.243	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.137	0.424	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.124	0.385	1.940	2.60	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.110	0.341	ND	ND	
Tetrahydrocannabivarin (THCV)	0.025	0.077	<LOQ	<LOQ	
Tetrahydrocannabivarinic Acid (THCVA)	0.097	0.301	ND	ND	
Total Cannabinoids			61.360	80.80	
Total Potential THC			1.940	2.60	
Total Potential CBD			52.940	69.70	

Final Approval



Karen Winternheimer
31Mar2023
08:08:00 AM MDT

PREPARED BY / DATE



Sam Smith
31Mar2023
08:11:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/a0a66f95-dbed-4386-ba4b-08877daa1bb0>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

a0a66f95dbed4386ba4b08877daa1bb0.1